

ARTICOLI DI MARIA STELLA FANCIULLO

REFERENCES

- [1] M. S. Fanciullo, $L^{2,\lambda}$ regularity for second order non linear non variational elliptic systems, *Le Matematiche*, 50 (1995), 163-172.
- [2] M. S. Fanciullo, *Partial Hölder continuity for second order non linear non variational parabolic systems with controlled growth*, *Le Matematiche*, 52 (1997), 199-215.
- [3] M. S. Fanciullo *Hölder continuity for second order non variational parabolic systems*, *Le Matematiche*, 53 (1998), 375-385.
- [4] M. S. Fanciullo, *Hölder continuity for non variational basic parabolic systems with linear growth*, *Ricerche di Matematica*, LI, 2 (2002), 285-296.
- [5] G. Di Fazio, M. S. Fanciullo, *Gradient estimates for elliptic systems in Carnot-Carathéodory spaces*, *Comment. Math. Univ. Carolin.*, 43,4 (2002), 605-618.
- [6] G. Di Fazio, M. S. Fanciullo, *BMO regularity for elliptic systems in Carnot-Carathéodory spaces*, *Comm. on Applied Nonlinear Analysis*, 10, n. 2 (2003), 81-95.
- [7] A. O. Caruso, M. S. Fanciullo, *A density result on VMO_ω* , *Variational analysis and applications*, *Nonconvex Optim. Appl.*, 79, 231-237, Springer (2005).
- [8] G. Di Fazio, A. Domokos, M. S. Fanciullo, J.J. Manfredi, *Subelliptic Cordes estimates in the Grushin plane*, *Manuscripta Math.* 120 (2006), n.4, 419-433.
- [9] A. O. Caruso, M. S. Fanciullo, *BMO on spaces of homogeneous type: a density result on C-C spaces*, *Ann. Acc. Sci. Fenn. Math.*, 32, n. 1, (2007) 13-26.
- [10] A. Domokos, M. S. Fanciullo, *On the best constant for the Friedrichs-Knapp-Stein inequality in free nilpotent Lie groups of step two and applications to subelliptic PDE*, *Journal of Geometric Analysis*, 17 n.2 (2007), 245-252.
- [11] G. Di Fazio, M. S. Fanciullo, P. Zamboni, *Harnack inequality and smoothness for quasilinear degenerate elliptic equations*, *Journal of Differential Equations*, 245, n. 10, (2008), 2939-2957.
- [12] G. Di Fazio, M. S. Fanciullo, P. Zamboni, *Harnack inequality and regularity for degenerate quasilinear elliptic equations*, *Mathematische Zeitschrift*, 264 , n. 3 (2010), 679-695.

- [13] G. Di Fazio, M. S. Fanciullo, P. Zamboni, *Harnack inequality for a class of strongly degenerate elliptic operators formed by Hörmander vector fields*, Manuscripta Mathematica, 135, 3-4 (2011), 361-380.
- [14] G. Di Fazio, M. S. Fanciullo, P. Zamboni, *Interior L^p estimates for degenerate elliptic equations in divergence form with VMO coefficients*, Differential and Integral Equations, 25, 7-8 (2012), 619-628.
- [15] G. Di Fazio, M. S. Fanciullo, P. Zamboni, *L^p estimates for degenerate elliptic systems with VMO coefficients*, Algebra i Analiz, 25,6, (2013), 24-36, St. Petersburg Math. Journal J. (25) (2014), 909-917.
- [16] G. Di Fazio, M. S. Fanciullo, P. Zamboni, *Regularity for a class of strongly degenerate quasilinear operators*, Journal of Diff. Eq., 255, 11, (2013), 3920-3939.
- [17] M. Bramanti, M. S. Fanciullo, *BMO estimates for nonvariational operators with discontinuous coefficients structured on Hörmander's vector fields on Carnot groups*, Adv. Differential Equations, 18, 9-10, (2013), 955-1004.
- [18] G. Di Fazio, M. S. Fanciullo, P. Zamboni, *Hölder regularity for nondivergence form elliptic equations with discontinuous coefficients*, Journal of Math. Analysis and Applications 407, 2, (2013), 545-549.
- [19] M. Bramanti, M. S. Fanciullo, *$C^{k,\alpha}$ -regularity of solutions to quasilinear equations structured on Hörmander's vector fields*, Nonlinear Analysis: Theory, Methods and Applications, 92, (2013), 13-23.
- [20] G. Di Fazio, M. S. Fanciullo, *$W_{loc}^{2,p}$ estimates for Cordes nonlinear operators in the Heisenberg group*, Journal of Math. Analysis and Applications, 411, 2, (2014), 947-952.
- [21] G. Di Fazio, M. S. Fanciullo, *Cordes nonlinear operators in Carnot groups*, Electronic Journal of Differential Equations", 2015 (2015), no. 191, 1-7.
- [22] G. Di Fazio, M. S. Fanciullo, P. Zamboni, *Harnack inequality for degenerate elliptic equations and sum operators*, Communications on Pure and Applied Analysis, 14, 6 (2015), 2363-2376.
- [23] M. S. Fanciullo, P. D. Lamberti, *On Burenkov's extension operator preserving Sobolev - Morrey spaces on Lipschitz domains*, Math. Nachr., **290** (1), (2017), 37-49.
- [24] M. Bramanti, M. S. Fanciullo, *The local sharp maximal function and BMO on locally homogeneous spaces*, Ann. Acad. Sci. Fennicae Math., **42** (1), (2017), n. 1, 453-472.
- [25] G. Di Fazio, M. S. Fanciullo, P. Zamboni, *Unique continuation of positive solutions for doubly degenerate quasilinear elliptic equations*, Electronic Journal of Differential Equations, 2017 (2017), no. 158, pp. 1-10.
- [26] G. Di Fazio, M. S. Fanciullo, P. Zamboni, *Local regularity for strongly degenerate elliptic equations and weighted sum operators*, accettato su Differential and Integral Equations, 2017.
- [27] G. Di Fazio, M. S. Fanciullo, P. Zamboni, *Harnack inequality and smoothness for some non linear degenerate elliptic equations*, sottomesso 2017.

- [28] G. Di Fazio, M. S. Fanciullo, P. Zamboni, *Harnack inequality and continuity of weak solutions for doubly degenerate elliptic equations*, accettato su *Mathematische Zeitschrift*, 2018.

Atti di convegno, articoli su volumi e altro

- [29] M. S. Fanciullo, *Problemi di regolarità hölderiana per sistemi parabolici non variazionali*, Fascicolo Umi, serie 8, vol. III-A (2000), 335-338.
- [30] M. S. Fanciullo, *Problemi di regolarità hölderiana per sistemi parabolici non variazionali*, Tesi di dottorato, (2000).
- [31] G. Di Fazio, A. Domokos, M. S. Fanciullo, J.J. Manfredi, $C_{loc}^{1,\alpha}$ *regularity for subelliptic p -harmonic functions in Grušin plane*, *Le Matematiche (Catania)* 60, n. 2, (2005), 469–473.
- [32] M. S. Fanciullo, A. Giacobbe, F. Raciti, *Esercizi di Analisi Matematica 2*, Medical books, Palermo, 2013.
- [33] G. Di Fazio, M. S. Fanciullo, P. Zamboni, *Sum operators and Fefferman - Phong inequalities*, *Geometric Methods in PDE's*, Springer INdAM Series, Vol. 13 (2015), 111-120.